## II) RANCH INFORMATION (page 3)

(See Ranch Instructions, "K")

## K) MANAGEMENT PRACTICES CHECKLIST

Erosion Control								
<b>Erosion Control</b>	Not applicable to operation	Practice in Place	Planned within 3 Years	Menu of Practices				
Practices are in place to manage sediment from upstream/upslope				Sediment Basin, Water and Sediment Control Basin, Diversion, Grassed Waterway, Lined Waterway, Open Channel, Structure for Water Control, Surface Drainage Ditch, Underground Outlet, Conservation Cover, Filter Strip, Tree/Shrub Establishment				
Fields are designed to minimize erosion potential				Contour Farming, Row Arrangement, Buffer Strip, Diversion, Land Smooth				
Bare fields are covered to reduce rainfall runoff potential				Conservation Crop Rotation, Cover C Residue Management, Contour Buffer Planting				
Irrigation water is managed to minimize erosion potential				Irrigation Water Management, Anioni (PAM), Deep Tillage, Soil Moisture Marigation Land Leveling	Measurements,			
Potential for wind erosion is managed				Hedgerows, Herbaceous Wind barrier, Windbreak/Shelterbelt Establishment, Conservation Crop Rotation, Cover Crop, Residue Management, Cross Wind Ridges, Surface Roughening, Access Road, Mulching				
Roads are protected from concentrated flow of runoff				Access Road Cover Crop, Critical Area Planting, Mulching				
Ditches and banks are protected from concentrated flow				Grassed Waterway, Lined Channel, Grade Stabilization Structure, Open Channel, Structure for Water Control, Diversion, Cut Bank Stabilization				
Soil is protected in non-cropped areas				Mulching, Conservation Cover, Critical Area Planting, Filter strip, Hedgerow Planting, Range Planting, Tree/Shrub Establishment, Use Exclusion				
Potential problem areas are re-graded and protected				Cut Bank Stabilization, Landslide Treatment, Critical Area Planting, Grade Stabilization Structure, Structure for Water Control				
Water is diverted to a stable outlet				Diversion, Grassed Waterway, Lined Waterway, Open Channel, Structure for Water Control, Subsurface Drain, Surface Drainage Ditch, Underground Outlet, Roof Runoff Management				
Eroded sediment is detained or filtered before leaving the operation				Diversion, Lined Waterway, Open Channel, Structure for Water Control, Surface Drainage Ditch, Underground Outlet, Irrigation System Tailwater Recovery, Sediment Basin, Water and Sediment Control Basin, Conservation Cover, Filter Strip, Grassed Waterway				
1. Number of acres who not yet in place				acres				
2. Number of acres that in place	-			acres				
place	i nave an pianned	CIOSIOII CONUOI	suategies in	acres				

**Continued on Back** 

Irrigation Management						
Irrigation Management	Not applicable to operation	Practice in Place	Planned within 3 Years	Menu of Practices		
Irrigation system efficiency is maximized				Irrigation Mobile Lab System Evaluation where available, Irrigation Water Management, Regular System Maintenance, Irrigator/Foreman Training, Anionic Polyacrylamide (PAM), Deep Tillage		
Irrigation scheduling is optimized				Irrigation Scheduling (based on soil moisture monitoring and/or crop evapotranspiration (ET) demand), irrigation Applications adjusted for leaching fraction and/or system distribution uniformity, irrigation records maintained		
Irrigation system design is optimized				Irrigation System MicroIrrigation, Irrigation System Sprinkler, Irrigation Water Management, Irrigation Land Leveling, Irrigation Water Conveyance Pipeline, Irrigation Regulation Reservoir, Irrigation System Tailwater Recovery, Subsurface Drain, Well Decommissioning		
Furrow or flood irrigation distribution uniformity (DU) is maximized and maintained				Surge irrigation valves, Irrigation Field Ditch, Managed Furrow Lengths, Alternate Row Irrigation, Irrigation Canal or Lateral		
Sprinkler and microsprinkler distribution uniformity (DU) is maximized and maintained				System Equipment Maintenance, System Pressure Maintenance, Appropriate and Uniform Nozzle Sizes, Microsprinkler Low Pressure Shut-off Valves, Low Wind Conditions during Applications, Herbaceous Wind Barrier, Windbreak/Shelterbelt		
Drip irrigation distribution uniformity (DU) is maximized and maintained				System Equipment Maintenance, System Pressure Maintenance, Appropriate Tape/Emitter Application Rate, Pulse Irrigation		
1. Number of acres where irrigation management strategies are			acres			
planned but not yet in place  2. Number of acres that have some planned irrigation management			acres			
strategies in place						
<b>3.</b> Number of acres that have all planned irrigation management strategies in place			acres			

Pesticide Management					
Pesticide Management	Not applicable to operation	Practice in Place	Planned within 3 Years	Menu of Practices	
Site preparation and plant material promote crop health				Bedding, Irrigation Land Leveling, Irrigation Water Management, Resistant Varieties, Conservation Crop Rotation, Cover Crop	
Pest and beneficial populations are monitored				UC IPM Pest Management Guidelines consulted, scouting for pest detection, pest records maintained	
Cultural practices are used to reduce pest pressure				Sanitation, Dust Mitigation, Access Road, Mulching, Mechanical Weed Control, Physical or Environmental Pest Control, Pest Exclusion	
Biological controls are used where effective					
Efficient pest control decisions are made				UC IPM Pest Management Guidelines consulted, reduced- risk or selective pesticides used where effective, application decisions based on scouting data, pest threshholds and/or risk assessment models, pesticides selected for lower risk of runoff or leaching where possible, hot spots selectively treated, pesticides applied at the lowest effective label rate	
Pesticide handlers/applicators trained yearly					
Pesticide label instructions followed Application					
equipment calibrated Appropriate disposal methods used					
Pesticide storage facilities include concrete pads and curbs for containment of spills				Agrichemical Handling Facility	
Production wells are on elevated impervious bases upslope of pesticide storage and handling facilities					
Wellhead protection consists of an impermeable pad, sump, or buffer area of 100' around the					
wellhead Containment basins lined to prevent pesticide leaching					
Mixing and loading is performed on sites with low runoff hazard, over 100'					
downslope of well					

Pesticide Management	Not applicable to operation	Practice in Place	Planned within 3 Years	Menu of Practices	
Field layout is designed to minimize pesticide movement				Irrigation Land Leveling, Land Smoothing, Contour Farming, Row Arrangement	
Fields are managed to reduce pesticide movement				Conservation Cover, Cover Crop, Vegetative Barrier, Mulching, Residue Management, Deep Tillage, Irrigation Water Management, Contour Buffer Strip, Sediment Basin, Water and Sediment Control Basin, Irrigation System Tailwater Recovery, Conservation Cover, Filter Strip, Grassed Waterway onto Constructed Wetland	
1. Number of acres where pesticide management strategies are planned but not yet in place				acres	
2. Number of acres that have some planned pesticide management strategies in place				acres	
<b>3.</b> Number of acres that have all planned pesticide management strategies in place				acres	

Nutrient Management					
Nutrient Management	Not applicable to operation	Practice in Place	Planned within 3 Years	Menu of Practices	
Nitrogen (N) and Phosphorus (P) crop requirements are known					
N and P sources for crop are known					
Well/irrigation water monitored for N and P levels					
Tissue analysis for crops with identified critical levels					
Pre-sidedress nitrogen tests are used				Soil Nitrate Quick Test, Soil Testing	
Nutrient budget used in determining fertilizer applications					
Fertilizer application timing is based on crop needs					
Fertigation is used where appropriate					
Cover crops are used to increase soil fertility and reduce fertilizer applications				Cover Crop	
Irrigation is managed to avoid loss below the root zone					
Application equipment is calibrated regularly					

Nutrient Management	Not applicable to operation	Practice in Place	Planned within 3 Years	Menu of Practices		
Fertilizer handlers						
and applicators are						
trained						
Precision placement						
is used to deliver						
nutrients efficiently						
Fertilizer storage						
facilities include						
concrete pads and						
curbs for containment						
of spills						
Mixing and loading is						
performed on sites						
with low runoff						
hazard, over 100'						
downslope of well						
Septic systems are						
monitored and						
maintained						
1. Number of acres where nutrient management strategies are planned					acres	
but not yet in place						
2. Number of acres that have some planned nutrient management					acres	
strategies in place						
3. Number of acres that have all planned nutrient management					acres	
strategies in place						

S:\NPS\Agriculture Waiver\Inspections and Enforcement\NOI Final Drafts\Ranch Information\_ Management Practices Form.doc